

RGAA compliance audit of Website

<https://ipсен.com/france>

Pages of the site which have been the subject to the verification.

Page 1 – Home: <https://www.ipсен.com/france/>

Page 2 – A propos de nous: <https://www.ipсен.com/france/a-propos-de-nous/>

Page 3 – Notre histoire: <https://www.ipсен.com/france/a-propos-de-nous/histoire/>

Page 4 – Nos sites: <https://www.ipсен.com/france/a-propos-de-nous/nos-sites/>

Page 5 – Nos aires thérapeutiques: <https://www.ipсен.com/france/a-propos-de-nous/nos-aires-therapeutiques/>

Page 6 – Nos médicaments: <https://www.ipсен.com/france/nos-medicaments/>

Page 7 – Pharmacovigilance: <https://www.ipсен.com/france/nos-medicaments/pharmacovigilance/>

Page 8 – Responsabilité: <https://www.ipсен.com/france/responsabilite/>

Page 9 – Environnement: <https://www.ipсен.com/france/responsabilite/environnement/>

Page 10 – Patients: <https://www.ipсен.com/france/responsabilite/patients/>

Page 11 – Collaborateurs: <https://www.ipсен.com/france/responsabilite/collaborateurs/>

Page 12 – Gouvernance: <https://www.ipсен.com/france/responsabilite/gouvernance/>

Page 13 – Mentions d’information: <https://www.ipсен.com/france/mentions-dinformation/>

Page 14 – Mentions légales: <https://www.ipсен.com/france/mentions-legales/>

Page 15 – Politique de confidentialité: <https://www.ipсен.com/france/politique-de-confidentialite/>

Page 16 – Politique des Cookies: <https://www.ipсен.com/france/politique-des-cookies/>

Page 17 – Conditions générales d’utilisation: <https://www.ipсен.com/france/conditions-generales-dutilisation/>

Page 18 – Contactez-nous: <https://www.ipсен.com/france/contactez-nous/>

Compliance rate with the RGAA 4.1.2 standards

The average compliance rate of the website is obtained by averaging the compliance rates of conformity of each page.

Based on the audit carried out for 18 pages, an average rate of compliance with the RGAA 4.1.2 was noted as 79%.

The percentage of RGAA criteria met is 50%.

Calculation Details

Page Name	URL	%Compliance	%Non-Compliance
Accueil	https://www.ipsen.com/france/	54	46
A propos de nous	https://www.ipsen.com/france/a-propos-de-nous/	78	22
Notre histoire	https://www.ipsen.com/france/a-propos-de-nous/histoire/	82	18
Nos sites	https://www.ipsen.com/france/a-propos-de-nous/nos-sites/	83	17
Nos aires thérapeutiques	https://www.ipsen.com/france/a-propos-de-nous/nos-aires-therapeutiques/	83	17
Nos médicaments	https://www.ipsen.com/france/nos-medicaments/	81	19
Pharmacovigilance	https://www.ipsen.com/france/nos-medicaments/pharmacovigilance/	80	20
Responsabilité	https://www.ipsen.com/france/responsabilite/	83	17
Environnement	https://www.ipsen.com/france/responsabilite/environnement/	80	20
Patients	https://www.ipsen.com/france/responsabilite/patients/	83	17
Collaborateurs	https://www.ipsen.com/france/responsabilite/collaborateurs/	83	17
Gouvernance	https://www.ipsen.com/france/responsabilite/gouvernance/	74	26
Mentions d'information	https://www.ipsen.com/france/mentions-dinformation/	85	15
Mentions légales	https://www.ipsen.com/france/mentions-legales/	86	14
Politique de confidentialité	https://www.ipsen.com/france/politique-de-confidentialite/	82	18
Politique des Cookies	https://www.ipsen.com/france/politique-des-cookies/	76	24
Conditions générales d'utilisation	https://www.ipsen.com/france/conditions-generales-dutilisation/	82	18
Contactez-nous	https://www.ipsen.com/france/contactez-nous/	73	27
Average compliance rate for the 18-page audit: 79% Rate of criteria met: 50%			

User agents, Assistive Technologies and Tools used to verify Accessibility.

Web page testing was performed with the following web browser and screen reader combinations:

- NVDA Screen Reader version 2021.2 with Chrome version 127.0.6533.73 & Firefox version 131.0
- JAWS Screen Reader version 2021.2111 with Chrome version 127.0.6533.73
- VoiceOver (iPhone 14) and Safari version 18.0
- TalkBack (Android 11) and Chrome version 128.0.6613.146
- Color Contrast Analyzer version 3.1.1